

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	13715	(IP with transfer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 12:53
S2	3494984	(IP near\$5 transfer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/01 21:55
S3	7559	(IP near5 transfer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 19:07
S4	1	(IP near5 transfer\$3) with session with key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 19:08
S5	192	(IP near5 transfer\$3) with session	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 19:09
S7	7520	mobil\$3 with IP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 19:12
S8	641	mobil\$3 with IP with session	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 19:13
S9	2923	mobil\$3 with IP with communicat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 19:13
S10	62	(mobil\$3 with IP with communicat\$3) and (session near3 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 19:13
S11	66	(mobil\$3 with IP with communicat\$3) and (session near3 (cookie token key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 19:22

S12	8	(mobil\$3 with IP with (tranfer\$3 ("hand over") transpos\$3 ("turn over") relocat\$3) with session)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 19:24
S13	73	(mobil\$3 with IP with (tranfer\$3 ("hand over") transpos\$3 ("turn over") relocat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/01 21:26
S14	70	S13 not S10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 19:41
S20	465	IP with session with transfer\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 08:24
S21	14	(IP with (tranfer\$3 ("hand over") transpos\$3 ("turn over") relocat\$3) with first with second)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 08:41
S22	16	09/475747	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 08:42
S23	14	09/475671	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 08:43
S24	15	09/475661	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 10:03
S26	15	"09/475288"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 08:44
S27	272	370/395.52.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 10:03

S28	27	S27 and (call with transfer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 10:06
S29	19	S27 and (call near3 transfer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 10:07
S30	650	(call near3 transfer\$3) same IP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 10:08
S31	93	(IP near3 session near3 transfer\$3) same IP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 10:23
S39	27	(IP adj3 session near3 transfer\$3) same IP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 10:37
S45	15	09/475661	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 10:38
S46	0	US-660674B1-\$.DID. OR US-65265082-\$.DID. OR US-637429B1-\$.DID. OR US-654648B2-\$.DID. OR US-647385B1-\$.DID. OR US-623331B1-\$.DID. OR US-642695B1-\$.DID. OR US-657087B1-\$.DID. OR US-659425B1-\$.DID. OR US-66153B1-\$.DID.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/01 21:27
S47	0	((("US-6606744") or ("US-6526508") or ("US-6374296") or ("US-6546488") or ("US-6473858") or ("US-6233318") or ("US-6426955") or ("US-6570870") or ("US-6594254") or ("US-6611531"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/01 21:29
S48	20	((("6606744") or ("6526508") or ("6374296") or ("6546488") or ("6473858") or ("6233318") or ("6426955") or ("6570870") or ("6594254") or ("6611531"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/01 21:29

S49	18	(mobil\$3 IP tranfer\$3 hand over transpos\$3 turn over relocat\$3 rerout\$3 session tunnel\$3 secur\$3 encrypt\$3 session key VPN) and S48	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/01 21:33
S50	19	(mobil\$3 IP tranfer\$3 hand over transpos\$3 turn over relocat\$3 rerout\$3 session tunnel\$3 secur\$3 encrypt\$3 session key VPN random number psuedo nonce first second device terminal address negotiat\$3 intercept\$3 proxy ARP node map\$4 notif\$6) and S48	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/01 21:38
S51	19	(mobil\$3 IP tranfer\$3 forward\$3 hand over transpos\$3 turn over relocat\$3 rerout\$3 session tunnel\$3 secur\$3 encrypt\$3 session key VPN random number psuedo nonce first second device terminal address negotiat\$3 intercept\$3 proxy ARP node map\$4 notif\$6) and S48	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/01 21:38
S58	37	"0033189"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/01 21:48
S59	0	WO-0033189.pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/01 21:48
S60	2704	transfer\$3 with IP with address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/01 21:54
S61	3452472	((IP adj address) near\$5 transfer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/01 21:55
S62	985	((IP adj address) near5 transfer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/01 21:55
S63	985	((IP adj address) near5 transfer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/01 21:56

S64	20	S48	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/01 21:55
S65	680	((IP adj address) near3 transfer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/01 21:56
S66	433	((IP adj address) near2 transfer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/01 21:57
S67	157	((IP adj address) near2 transfer\$3) and communication and session	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/01 22:00
S68	0	((IP adj address) near2 transfer\$3 with sessino) and communication and session	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/01 22:00
S69	23	((IP adj address) near2 transfer\$3 with session) and communication and session	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/01 22:01
S70	437	(IP with session with transfer\$3) and communication and session	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/01 22:04
S71	161	(IP near3 session with transfer\$3) and communication and session	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/01 22:04
S72	37	(IP adj session with transfer\$3) and communication and session	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/01 23:26
S73	15	rfc-2543	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 00:49

S74	211	713/162.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 00:49
-----	-----	---------------	---	----	----	------------------

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S4	4	"10002880"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 17:10
S5	1	10/002880	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 18:24
S6	1305	IP with mobility	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 18:25
S7	53	IP with mobility and session near3 transfer\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/25 18:27
S8	8	TCP with session with migrat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 18:36
S9	28	TCP with communication with migrat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 11:50
S10	67	TCP near3 migrat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 18:36
S11	14	(US-20020116475-\$ or US-20020120761-\$).did. or (US-5517618-\$ or US-5774660-\$ or US-5845079-\$ or US-6047323-\$ or US-6161123-\$ or US-6182139-\$ or US-6330615-\$ or US-6330616-\$ or US-6456621-\$ or US-6636961-\$ or US-6704117-\$ or US-6778540-\$). did.	US-PGPUB; USPAT	OR	ON	2005/06/25 18:28
S12	14	(IP mobil\$3 session transfer\$3 forward\$3 migrat\$3 TCP node destination address packet) and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/25 20:32

S13	205	IP near5 migrat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/25 19:08
S14	151	IP near3 migrat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/25 19:08
S15	14	(US-20020116475-\$ or US-20020120761-\$).did. or (US-5517618-\$ or US-5774660-\$ or US-5845079-\$ or US-6047323-\$ or US-6161123-\$ or US-6182139-\$ or US-6330615-\$ or US-6330616-\$ or US-6456621-\$ or US-6636961-\$ or US-6704117-\$ or US-6778540-\$). did.	US-PGPUB; USPAT	OR	ON	2005/06/25 20:33
S16	1	(IP mobil\$3 session transfer\$3 forward\$3 migrat\$3 TCP node destination address packet encapsulat\$3 encrypt\$3 authent\$7) and S15 and (random with key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/25 20:34
S17	0	TCP near3 communicat\$3 near3 session with session adj key with (random adj number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/25 20:35
S18	47	communicat\$3 near3 session with session adj key with (random adj number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/25 20:36
S21	0	communicat\$3 near3 session with session adj key with (random adj number) same (mobile near3 communicat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/25 20:37
S22	5	communicat\$3 near3 session with session adj key with (random adj number) and (mobile near3 communicat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/25 21:35
S23	0	TCP adj communicat\$3 near3 session and (session adj key with (random adj number)) and (mobile near3 communicat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/25 21:35

S24	0	TCP adj communicat\$3 and (session adj key with (random adj number)) and (mobile near3 communicat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/25 21:36
S25	1	TCP adj communicat\$3 and (session adj key with (random adj number)) and (mobile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/25 21:36
S26	18	TCP with communicat\$3 and (session adj key with (random adj number)) and (mobile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/25 22:05
S27	22	TCP with communicat\$3 and (session adj key same (random adj number)) and (mobile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/25 22:06
S28	4	S27 not S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/25 22:06